

## HSK-A adaptors for tapping chucks

### Product information


- for quick change chucks and synchro tapping chucks with straight shank
- HSK-A to ISO 12164-1/DIN 69893-1

### Scope of delivery

- incl. clamping screws Series no. 4903, EDP # 16,001
- order coolant supply set Series no. 4949 separately



Tapping chucks




						Series no.	4343
HSK-A d <sub>3</sub>	d <sub>1</sub> mm	d <sub>2</sub> mm	l <sub>1</sub> mm	SW	kg	Code no.	EDP Number
50	25	50	80	6	0.89	25.050	9043430250500
63	25	50	82	6	1.26	25.063	9043430250630
80	25	50	87	6	3.10	25.080	9043430250800
100	25	50	89	6	4.08	25.100	9043430251000

## Quick change tapping chucks without internal cooling

### Product information

- quick change tapping chucks are provided with a ball guided length compensator that compensates any length difference between spindle feed and pitch of tap thread
- combination shank similar to DIN 1835 for side lock holders



							Series no.	4340
for thread	d <sub>1</sub> mm	d <sub>2</sub> mm	d <sub>3</sub> mm	l <sub>1</sub> mm	tension/ compression ± mm	kg	Code no.	EDP Number
M3-M12	25	19	39	45	7.5	0.45	19.025	9043400190250
M8-M20	25	31	60	68	10.0	1.10	31.025	9043400310250



# Configuration of synchro tapping chucks for conventional cooling

